



Motor Cargo Ships Pandora

On request

Reference Number

Reference 1033

General Information

ENI Number	02317993
Construction year	1969
Shipyard	Cassens, Emden (Duitsland)
Delivery Condition	In consultation



Dimensions

Length	85
Width	9.50
Depth	3.20
Cavity	3.20
Height of the Denbord	2.00
Crawl line without ballast	5.65
Crawl line with ballast	4.25

Load capacity

Max. tonnage	1.716
Tonnage at 2.80	1.407
Tonnage at 2.50	1.178

Cargo hold / Beun / Tanks

Cargo hold capacity	2.100m ³
Number Of Holds	1
Number TEU	84
Dimensions	59.5 x 7.50 x 4.60
Floor of cargo hold	Steel 12 mm
Shutter Cover	Aluminium sliding hatches (stackable)

Machinery

Main Engine	Caterpillar 3512B, 1.521 Hp, By. 2000
Gear box	ZF
Bow thruster Installation	Fabr. van Wijk, 4-channel system
Bow thruster engine	Fabr. DAF, By. 2006
Generator (1)	Fabr. John Deere 4045, 45 KvA, By. 2006
Generator (2)	Fabr. Mitsubishi CC2, 45 KvA, By. 2019
Generator (3)	Fabr. Hatz, 23 KvA, By. 2019
Steering	Fabr. Hydromarine, hydraulic
Rudder	Fabr. Hitzer, 2x

Tanks

Fuel	31.000 litres / 3.000 litres
Lubricating oil	450 litres
Dirty oil	250 litres
Drinking water	7.000 litres / 7.000 litres
Waste water	200 litres / 7.000 litres
Ballast tanks	8 tanks in the double side approx. 650 tonnes, aft approx. 26 tonnes
Ballast pump	Rusch, 2x 175m ³ /hour



Accommodation Aft	Living room, open kitchen, 3 bedrooms (1 double bedroom and 2 single bedrooms), bathroom and separate toilet
Accommodation Fore Ship	Living room, open kitchen, 2 bedrooms (1 double bedroom and 1 single bedroom), bathroom and separate toilet
Wheelhouse	Fabr. Tinnenmans, aluminium superstructure with steel substructure on lifting column, stroke 4.25 m, viewing height over 3 layers of containers, By. 2008

Nautical Installation

Radar	RHRS2002R
VHF	2 Sailor
Pilot	Alphatron
Rudder and Bow Indicator	Alphatron
Camera	5

Other information

Jet pipe	Yes
Srew	Ø 1.650 mm
Anchor winch fore ship	Hydraulic double sheave anchor winch with chain
Anchor winch aft ship	Electric with wire
Coupling winches	2x hand driven coupling winches fore ship
Radar mast fore ship	Telescopic mast, By. 2017
Radar mast aft ship	Aluminium radar mast fixed to wheelhouse superstructure
Car Crane	Fabr. van Wijk, 15 meter, 1.500 kg ,By. 1987
Sandblasted	Yes (1992)

Other

Details	The vessel is equipped with overpressure in all accommodations and the wheelhouse. Push certificate up to 170 metres. Well maintained and much renewed.
---------	---

Certification

CvG (ADN Certificate)	Yes
CvO (Shipping certificate)	15 Oktober 2021
Classification office	NBKB

Recente vernieuwingen

2019	2 Generators: foreship 45 KvA Mitsubishi, aftship 23 KvA, Hatz silentpack air cooled. 2 Ballastpumps each 175 m ³ /hr, Fabr. Rusch
------	---



2018	Rope winch aft ship. 3 Bedrooms aft ship. Bathroom accommodation fore ship
2017	Overhaul of main engine 42,500 hours. Telescopic mast fore ship
2014	New bottom 42 metres, 10 mm. Pilot Alphanon. Propeller operation. Bunkers conserved. Overpressure on house and wheelhouse
2008	Fabr. Tinnemans, aluminium superstructure wheelhouse with steel lower body on lifting column, stroke 4.25 metres. Hydraulic steering gear

Ship Vision B.V. accepts no liability for any inaccuracy of information provided





